



## ШЕВНИ И БЕЗШЕВНИ ТРЪБИ ОТ НЕРЪЖДАЕМА СТОМАНА - 304L и 316L

Size O.Dxt(mm)	NORM	Weight kg/mt
6,00 x 1,00		0,125
6,00 x 1,50		0,169
6,35 x 0,71	1/4" x SWG 22	0,100
6,35 x 0,89	1/4" x BWG 20	0,122
6,35 x 0,91	1/4" x SWG 20	0,124
6,35 x 1,24	1/4" x BWG 18	0,159
6,35 x 1,65	1/4" x BWG 16	0,194
8,00 x 0,50		0,094
8,00 x 1,00		0,175
8,00 x 1,50		0,244
8,00 x 2,00		0,300
9,00 x 1,00		0,200
9,53 x 0,71	3/8" x SWG 22	0,157
9,53 x 0,89	3/8" x BWG 20	0,193
9,53 x 1,24	3/8" x BWG 18	0,257
9,53 x 1,65	3/8" x BWG 16	0,326
10,00 x 0,50		0,119
10,00 x 1,00		0,225
10,00 x 1,50		0,319
10,00 x 1,60		0,337
10,00 x 2,00		0,401
10,00 x 2,50		0,470
10,20 x 1,00		0,230
10,20 x 1,20		0,270
10,20 x 1,60		0,350
10,20 x 2,00		0,410
10,29 x 1,24	1/8" SCH10S	0,281
10,29 x 1,73	1/8" SCH40S	0,371
12,00 x 0,50		0,144
12,00 x 1,00		0,275
12,00 x 1,50		0,394
12,00 x 2,00		0,501
12,70 x 0,89	1/2" x BWG 20	0,263
12,70 x 1,24	1/2" x BWG 18	0,356
12,70 x 1,65	1/2" x BWG 16	0,457
12,70 x 2,03	1/2" x SWG 14	0,542
13,00 x 1,00		0,300
13,00 x 1,50		0,432
13,00 x 2,50		0,657
13,50 x 1,60	1/4"	0,477
13,50 x 1,80	1/4"	0,527
13,50 x 2,00	1/4"	0,576
13,50 x 2,30	1/4"	0,645
13,72 x 1,24	1/4" SCH5S	0,387
13,72 x 1,65	1/4" SCH10S	0,499
13,72 x 2,24	1/4" SCH40S	0,644
13,72 x 3,02	1/4" SCH80S	0,809
14,00 x 0,50		0,169
14,00 x 1,00		0,326
14,00 x 1,50		0,470
14,00 x 2,00		0,601
14,00 x 2,50		0,720
14,00 x 3,00		0,826



Size O.D x t(mm)	NORM	Weight kg/mt
15,00 x 1,00		0,351
15,00 x 1,50		0,507
15,00 x 2,00		0,651
15,00 x 2,50		0,783
15,88 x 0,71	5/8" x SWG 22	0,270
15,88 x 0,89	5/8" x BWG 20	0,334
15,88 x 0,91	5/8" x SWG 20	0,391
15,88 x 1,24	5/8" x BWG 18	0,455
16,00 x 1,00		0,376
16,00 x 1,50		0,545
16,00 x 2,00		0,701
16,00 x 2,50		0,845
16,00 x 3,00		0,977
17,15 x 1,65	3/8" SCH10S	0,640
17,15 x 2,31	3/8" SCH40S	0,858
17,15 x 3,20	3/8" SCH80S	1,118
17,20 x 1,60	3/8"	0,625
17,20 x 2,00	3/8"	0,761
17,20 x 2,60	3/8"	0,951
18,00 x 1,00		0,426
18,00 x 1,50		0,620
18,00 x 2,00		0,801
18,00 x 2,50		0,970
18,00 x 3,00		1,127
19,00 x 1,00		0,450
19,00 x 1,25		0,560
19,00 x 1,50		0,657
19,05 x 0,89	3/4" x BWG 20	0,405
19,05 x 1,24	3/4" x BWG 18	0,553
19,05 x 1,65	3/4" x BWG 16	0,719
19,05 x 2,11	3/4" x BWG 14	0,895
19,05 x 2,03	3/4" x SWG 14	0,865
19,05 x 3,25	3/4" x SWG 10	1,286
20,00 x 1,00		0,476
20,00 x 1,25		0,587
20,00 x 1,50		0,695
20,00 x 2,00		0,901
20,00 x 2,50		1,096
20,00 x 3,00		1,277
20,00 x 4,00		1,603
20,00 x 5,00		1,878
21,34 x 1,65	1/2" SCH5S	0,789
21,34 x 2,00	1/2"	0,968
21,34 x 2,11	1/2" SCH10S	1,016
21,34 x 2,60	1/2"	1,230
21,34 x 2,77	1/2" SCH40S	1,288
21,34 x 3,73	1/2" SCH80S	1,645
21,34 x 4,75	1/2" SCH160	1,973



Size O.Dxt(mm)	NORM	Weight kg/mt
22,00 x 1,00		0,526
22,00 x 1,25		0,649
22,00 x 1,50		0,770
22,00 x 2,00		1,002
22,00 x 3,00		1,427
22,00 x 4,00		1,803
23,00 x 1,50		0,808
24,00 x 2,00		1,102
25,00 x 1,00		0,601
25,00 x 1,50		0,883
25,00 x 2,00		1,152
25,00 x 2,50		1,409
25,00 x 3,00		1,653
25,00 x 3,50		1,884
25,00 x 4,00		2,103
25,00 x 5,00		2,504
25,40 x 0,91	1" x SWG 20	0,558
25,40 x 1,24	1" x BWG 18	0,756
25,40 x 1,63	1" x SWG 16	0,970
26,67 x 1,65	3/4" x SCH5S	1,034
26,67 x 2,11	3/4" x SCH10S	1,298
26,67 x 2,87	3/4" x SCH40S	1,710
26,67 x 3,91	3/4" x SCH80S	2,228
26,67 x 5,53	3/4" x SCH160	2,927
26,90 x 1,60	3/4"	1,014
26,90 x 2,00	3/4"	1,247
26,90 x 2,60	3/4"	1,582
26,90 x 3,20	3/4"	1,899
26,90 x 3,60	3/4"	2,100
28,00 x 1,00		0,676
28,00 x 1,50		0,995
28,00 x 2,00		1,302
28,00 x 2,50		1,596
28,00 x 3,00		1,878
30,00 x 1,00		0,726
30,00 x 1,50		1,070
30,00 x 2,00		1,402
30,00 x 2,50		1,722
30,00 x 3,00		2,028
30,00 x 4,00		2,604
31,75 x 1,63	1 1/4" x SWG 16	1,229
32,00 x 1,25		0,962
32,00 x 1,50		1,146
32,00 x 2,00		1,502
32,00 x 3,00		2,178
32,00 x 4,00		2,804



Size O.Dxt(mm)	NORM	Weight kg/mt
33,00 x 1,50		1,183
33,40 x 1,65	1" SCH5S	1,312
33,40 x 2,77	1" SCH10S	2,125
33,40 x 3,38	1" SCH40S	2,541
33,40 x 4,55	1" SCH80S	3,287
33,40 x 6,35	1" SCH160	4,301
33,70 x 1,60	1"	1,286
33,70 x 2,00	1"	1,588
33,70 x 2,60	1"	2,025
33,70 x 3,20	1"	2,444
33,70 x 4,05	1"	3,007
33,70 x 5,00	1"	3,630
34,00 x 1,00		0,826
34,00 x 1,50		1,221
34,00 x 2,00		1,603
35,00 x 1,50		1,258
35,00 x 2,00		1,653
35,00 x 2,50		2,035
36,00 x 2,00		1,703
38,00 x 1,00		0,926
38,00 x 1,25		1,150
38,00 x 1,50		1,371
38,10 x 1,63	1 1/2" SWG 16	1,489
38,00 x 2,00		1,803
38,00 x 2,50		2,222
38,00 x 3,00		2,629
38,00 x 4,00		3,405
38,00 x 5,00		4,132
40,00 x 1,00		0,977
40,00 x 1,50		1,446
40,00 x 2,00		1,903
40,00 x 2,50		2,348
40,00 x 3,00		2,780
40,00 x 4,00		3,606
41,00 x 4,00		3,706
42,16 x 1,65	1 1/4" SCH5S	1,674
42,16 x 2,77	1 1/4" SCH10S	2,732
42,16 x 3,56	1 1/4" SCH40S	3,441
42,16 x 4,85	1 1/4" SCH80S	4,531
42,40 x 1,60	1 1/4"	1,635
42,40 x 2,00	1 1/4"	2,023
42,40 x 2,60	1 1/4"	2,591
42,40 x 2,90	1 1/4"	2,868
42,40 x 3,20	1 1/4"	3,141
42,40 x 3,60	1 1/4"	3,489
42,40 x 4,00	1 1/4"	3,846
42,40 x 6,30	1 1/4"	5,695
44,00 x 2,00		2,103



Size O.Dxt(mm)	NORM	Weight kg/mt
44,50 x 1,50		1,615
44,50 x 2,00		2,128
44,50 x 2,60		2,728
44,50 x 2,90		3,021
44,50 x 4,00		4,056
45,00 x 2,00		2,153
48,26 x 1,65	1 1/2" SCH5S	1,926
48,26 x 2,00	1 1/2"	2,320
48,26 x 2,60	1 1/2"	2,975
48,26 x 2,77	1 1/2" SCH10S	3,155
48,26 x 2,90	1 1/2"	3,300
48,26 x 3,20	1 1/2"	3,614
48,26 x 3,68	1 1/2" SCH40S	4,108
48,26 x 4,05	1 1/2"	4,490
48,26 x 5,08	1 1/2" SCH80S	5,493
48,26 x 7,14	1 1/2" SCH160	7,352
50,00 x 1,00		1,227
50,00 x 1,50		1,827
50,00 x 2,00		2,404
50,00 x 2,50		2,974
50,00 x 3,00		3,531
50,00 x 4,00		4,607
50,80 x 1,22	2" SWG 18	1,515
50,80 x 1,50		1,852
50,80 x 2,00		2,444
50,80 x 2,50		3,024
51,00 x 2,00		2,454
51,00 x 2,60		3,151
52,00 x 1,50		1,897
52,00 x 2,00		2,504
53,00 x 1,50		1,934
53,00 x 3,00		3,756
54,00 x 2,00		2,604
55,00 x 2,50		3,287
56,00 x 3,00		3,981
57,00 x 1,50		2,085
57,00 x 2,00		2,754
57,00 x 2,60		3,542
57,00 x 2,90		3,929
57,00 x 4,00		5,308
60,30 x 1,65	2" SCH5S	2,424
60,30 x 2,00	2"	2,920
60,30 x 2,60	2"	3,757
60,30 x 2,77	2" SCH10S	3,992
60,30 x 2,90	2"	4,168
60,30 x 3,20	2"	4,575
60,30 x 3,60	2"	5,111



Size O.Dxt(mm)	NORM	Weight kg/mt
60,33 X 3,91	2" SCH40S	5,524
60,30 X 4,50	2"	6,288
60,33 X 5,54	2" SCH80S	7,601
60,33 X 8,71	2" SCH160	11,260
63,50 X 1,50		2,330
63,50 X 2,00		3,080
63,50 X 2,60		3,965
64,00 X 2,00		3,105
69,00 X 2,00		3,360
70,00 x 1,50		2,573
70,00 x 2,00		3,405
70,00 x 2,50		4,226
70,00 x 2,90		4,873
70,00 x 4,00		6,611
73,03 x 2,11	2 1/2" SCH5S	3,747
73,03 x 3,05	2 1/2" SCH10S	5,345
73,03 x 5,16	2 1/2" SCH40S	8,769
76,10 x 1,50	2 1/2"	2,802
76,10 x 1,65	2 1/2"	3,076
76,10 x 2,00	2 1/2"	3,711
76,10 x 2,60	2 1/2"	4,785
76,10 x 2,90	2 1/2"	5,315
76,10 x 3,60	2 1/2"	6,535
76,10 x 4,50	2 1/2"	8,068
80,00 x 2,00		3,906
80,00 x 2,50		4,852
83,00 x 1,50		3,061
84,00 x 2,00		4,107
85,00 x 2,00		4,157
88,90 x 2,00	3"	4,352
88,90 x 2,11	3" SCH5S	4,585
88,90 x 3,00	3"	6,453
88,90 x 3,05	3" SCH10S	6,557
88,90 x 3,20	3"	6,867
88,90 x 3,60	3"	7,689
88,90 x 4,05	3"	8,605
88,90 x 4,50	3"	9,510
88,90 x 5,49	3" SCH40S	11,466
88,90 x 7,62	3" SCH80S	15,509
88,90 x 11,10	3" SCH160	21,674
95,00 x 2,50		5,791
101,60 x 1,50	3 1/2"	3,760
101,60 x 2,11	3 1/2" SCH5S	5,256
101,60 x 3,05	3 1/2" SCH10S	7,526
101,60 x 3,60	3 1/2"	8,834
101,60 x 4,05	3 1/2"	9,893
101,60 x 5,74	3 1/2" SCH40S	13,778



Size O.Dxt(mm)	NORM	Weight kg/mt
103,00 x 1,50		3,812
104,00 x 2,00		5,108
106,00 x 3,00		7,737
108,00 x 2,00		5,308
108,00 x 3,00		7,888
108,00 x 3,60		9,411
108,00 x 4,00		10,417
114,30 x 2,00	4"	5,624
114,30 x 2,11	4" SCH5S	5,927
114,30 x 2,60	4"	7,272
114,30 x 3,00	4"	8,361
114,30 x 3,05	4" SCH10S	8,496
114,30 x 3,60	4"	9,980
114,30 x 4,00	4"	11,048
114,30 x 4,50	4"	12,372
114,30 x 6,02	4" SCH40S	16,322
114,30 x 8,56	4" SCH80S	22,665
114,30 x 13,84	4" SCH160	34,080
128,00 x 1,50		4,751
129,00 x 2,00		6,360
133,00 x 4,00		12,921
139,70 x 2,00	5"	6,900
139,70 x 3,00	5"	10,270
139,70 x 4,00	5"	13,592
141,30 x 3,40	5" SCH10S	11,740
141,30 x 6,55	5" SCH40S	22,101
152,40 x 7,00		25,486
153,00 x 1,50		5,690
154,00 x 2,00		7,612
155,00 x 2,50		9,547
156,00 x 3,00		11,493
158,00 x 4,00		15,425
159,00 x 3,00		11,720
159,00 x 4,00		15,525
159,00 x 4,50		17,409
168,30 x 2,00	6"	8,330
168,30 x 2,50	6"	10,379
168,30 x 2,77	6" SCH5S	11,480
168,30 x 3,00	6"	12,417
168,30 x 3,20	6"	13,230
168,30 x 3,40	6" SCH10S	14,040
168,30 x 4,00	6"	16,460
168,30 x 5,00	6"	20,445
168,30 x 7,11	6" SCH40S	28,660
168,30 x 10,97	6" SCH80S	43,250
193,70 x 8,00		37,199
204,00 x 2,00		10,116



Size O.Dxt(mm)	NORM	Weight kg/mt
206,00 x 3,00		15,250
208,00 x 4,00		20,433
219,10 x 2,00	8"	10,872
219,10 x 2,60	8"	14,100
219,10 x 3,00	8"	16,233
219,10 x 3,76	8" SCH10S	20,274
219,10 x 4,00		21,544
219,10 x 6,35	8" SCH20S	33,570
219,10 x 8,18	8" SCH40S	43,300
219,10 x 12,70	8" SCH80S	65,63
254,00 x 2,00		12,620
256,00 x 3,00		19,010
273,00 x 2,00	10"	13,572
273,00 x 3,00	10"	20,282
273,00 x 4,00	10"	26,943
273,00 x 4,19	10" SCH10S	28,210
273,00 x 6,35	10" SCH20S	42,410
273,00 x 9,27	10" SCH40S	61,230
304,00 x 2,00		15,124
306,00 x 3,00		22,761
323,90 x 2,00	12"	16,121
323,90 x 3,00	12"	24,106
323,90 x 4,00	12"	32,041
323,90 x 4,57	12" SCH10S	36,540
323,90 x 6,35	12" SCH20S	50,490
323,90 x 9,53	12" SCH40S	75,010
323,90 x 12,70	12" SCH80S	98,95
355,60 x 3,00	14"	26,487
355,60 x 4,78	14" SCH10S	41,990
355,60 x 9,53	14" SCH40S	82,583
406,40 x 3,00	16"	30,303
406,40 x 4,78	16" SCH10S	48,070
406,40 x 9,53	16" SCH40S	94,706
456 x 3,0		34,030